



Current Data Parameters
 NAME cyrBn2RCl_allylTMS_highRf_P
 EXPNO 4
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20230806
 Time 16.35 h
 INSTRUM spect
 PROBHD Z119470_0196 (
 PULPROG zgpg30
 TD 65536
 SOLVENT CDCl3
 NS 1024
 DS 4
 SWH 29761.904 Hz
 FIDRES 0.908261 Hz
 AQ 1.1010048 sec
 RG 191.36
 DW 16.800 usec
 DE 6.50 usec
 TE 298.0 K
 D1 2.00000000 sec
 D11 0.03000000 sec
 TD0 1
 SF01 125.7779086 MHz
 NUC1 13C
 P0 3.33 usec
 P1 10.00 usec
 PLW1 78.00000000 W
 SF02 500.1620006 MHz
 NUC2 1H
 CPDPRG[2] waltz65
 PCPD2 80.00 usec
 PLW2 22.00000000 W
 PLW12 0.56849003 W
 PLW13 0.28595001 W

F2 - Processing parameters
 SI 32768
 SF 125.7653320 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40