

Supporting information for

Rhodopyran, a carboxylated hexahydrocyclopenta[b]pyran from *Rhodococcus*

Enjuro Harunari, Sara Fushimi, Yasuhiro Igarashi*

Biotechnology Research Center and Department of Biotechnology, Toyama Prefectural
University, 5180 Kurokawa, Imizu, Toyama 939-0398, Japan

Table of Contents

Figure S1. ^1H NMR spectrum of microbispofuran A (**1**) (500 MHz, CD_3OD)

Figure S2. ^{13}C NMR spectrum of **1** (125 MHz, CD_3OD)

Figure S3. ^1H - ^1H COSY spectrum of **1** (500 MHz, CD_3OD)

Figure S4. HSQC spectrum of **1** (500 MHz, CD_3OD)

Figure S5. HMBC spectrum of **1** (500 MHz, CD_3OD)

Figure S6. NOESY spectrum of **1** (500 MHz, CD_3OD)

Figure S7. HRMS spectrum of **1**

Figure S1. ^1H NMR spectrum of **1** (500 MHz, CD_3OD)




Figure S2. ^{13}C NMR spectrum of **1** (125 MHz, CD_3OD)




Figure S3. ^1H - ^1H COSY spectrum of **1** (500 MHz, CD_3OD)




Figure S4. HSQC spectrum of **1** (500 MHz, CD₃OD)




Figure S5. HMBC spectrum of **1** (500 MHz, CD₃OD)




Figure S6. NOESY spectrum of **1** (500 MHz, CD₃OD)




Figure S7. HRMS spectrum of **1**

